

To: Les Grober [lgrober@waterboards.ca.gov]; riddle@waterboards.ca.gov; Mark Gowdy [GowdyM@rb5s.swrcb.ca.gov]; ark Gowdy [GowdyM@rb5s.swrcb.ca.gov]
Cc: []
Bcc: []
From: CN=Karen Schwinn/OU=R9/O=USEPA/C=US
Sent: Fri 6/17/2011 4:04:17 PM
Subject: Fw: BDCP EIR/EIS lead agency meeting
([embedded image](#))

Our staff will be attending this. Thought it might be useful to you guys too?

~~~~~  
KAREN SCHWINN  
Associate Director  
Water Division  
U.S. EPA Region 9  
75 Hawthorne Street (Wtr-1)  
San Francisco, CA 94105  
415/972-3472  
415/297-5509 (mobile)  
415/947-3537 (fax)  
~~~~~

----- Forwarded by Karen Schwinn/R9/USEPA/US on 06/17/2011 08:52 AM -----

From: "Idlof, Patricia S" <Pidlof@usbr.gov>
To: Erin Foresman/R9/USEPA/US@EPA, Karen Schwinn/R9/USEPA/US@EPA, Tom Hagler/R9/USEPA/US@EPA, "Nepstad, Michael G SPK" <Michael.G.Nepstad@usace.army.mil>, "michael.s.jewell@usace.army.mil" <michael.s.jewell@usace.army.mil>
Cc: "Milligan, Ronald E" <RMilligan@usbr.gov>, "Barajas, Federico" <FBarajas@usbr.gov>, "Stein, Russell" <rstein@water.ca.gov>, "Darby, Nicole" <ndarby@water.ca.gov>
Date: 06/14/2011 02:57 PM
Subject: BDCP EIR/EIS lead agency meeting

All,
The BDCP EIR/EIS lead agencies will be discussing modeling assumptions and outputs for the water operations alternatives currently under consideration at a meeting on Tuesday, June 21, 2011. Presentations will be provided by the DWR modelers and consultants regarding Alternative 4 (the Enhanced Aquatic Conservation Alternative) and the SWRCB's request for an alternative with increased Delta outflow. We will also likely discuss the modified water operations (Scenario 6) and potential operations for a 3,000 cfs alternative. If you or your staff are available, please take this opportunity to become more familiar with potential water operations modeling for the BDCP EIR/EIS alternatives.

Date: Tuesday, June 21, 2011
Time: 1:00-3:00pm
Location: Bonderson Building, Room 422

Patti Idlof
Mid-Pacific Region
Bay-Delta Office

916-992-3566 (c)
pidlof@usbr.gov